

Visualizing topical drug uptake with conventional fluorescence microscopy and deep learning: supplement

CONOR L. EVANS,^{1,*}  MAIKO HERMSMEIER,² AKIRA YAMAMOTO,² AND KIN F. CHAN^{2,3}

¹*Massachusetts General Hospital, Wellman Center for Photomedicine, Boston 02114, USA*

²*BioPharmX, Inc., 115 Nicholson Ln, San Jose, CA 95134, USA*

³*Currently at Simpson Interventions, Inc., Woodside, CA 94062, USA*

**Evans.Conor@mgh.harvard.edu*

This supplement published with The Optical Society on 4 November 2020 by The Authors under the terms of the [Creative Commons Attribution 4.0 License](#) in the format provided by the authors and unedited. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

Supplement DOI: <https://doi.org/10.6084/m9.figshare.13150385>

Parent Article DOI: <https://doi.org/10.1364/BOE.405502>

Visualizing topical drug uptake with conventional fluorescence microscopy and deep learning - supplemental document

INCUBATION TIME DEPEDENT ACCURACIES




Fig. S1. Boxplots of calculated U-Net annotation accuracy in the detection of minocycline as a function of condition and time of incubation




Fig. S2. Boxplots of calculated U-Net annotation accuracy in the detection of tazarotene as a function of condition and time of incubation